

# **Tunable Sulfur Vacancies in Amorphous-crystalline AC-Bi<sub>2</sub>S<sub>3</sub>-x@C Derived from CAU-17 for Efficient Capture of Radioiodine: Comparison of Sulfur Vacancies in Amorphous and Crystalline Structures**

*Tuesday, 4 November 2025 14:15 (15 minutes)*

## **Technical Track**

Nuclear Applications and Radiation Processing

**Primary authors:** Dr WU, Chao (Anhui Province Key Laboratory of Small Reactor and Micro-reactor Technology, Institute of Nuclear Energy Safety Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences); Dr WANG, Haixia (Energy and Minerals Regulatory Commission (EMRC)); Dr CHEN, Kaiwei (Anhui Province Key Laboratory of Small Reactor and Micro-reactor Technology, Institute of Nuclear Energy Safety Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences); Dr LI, Taosheng (Anhui Province Key Laboratory of Small Reactor and Micro-reactor Technology, Institute of Nuclear Energy Safety Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences); Mr LIU, Yueyue (Anhui Province Key Laboratory of Small Reactor and Micro-reactor Technology, Institute of Nuclear Energy Safety Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences)

**Session Classification:** Fuel Cycle and Waste Management